			$\mathcal{N}$
	Application No.	Applicant(s)	7
	10/647,340	HIGASHIMORI ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Christopher Verdier	3745	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.31	6 (OR REMAINS) CLOSED in this ap ) or other appropriate communication RIGHTS. This application is subject to	plication. If not include will be mailed in due	ed course. <b>THIS</b>
1. $\boxtimes$ This communication is responsive to $\underline{\textit{Applicants' Amendm}}$	ent dated 11-19-04.		
2. The allowed claim(s) is/are 1,2,5 and 6.			
3. The drawings filed on are accepted by the Examine	er.		
<ul> <li>4.  Acknowledgment is made of a claim for foreign priority u <ul> <li>a)  All</li> <li>b)  Some*</li> <li>c)  None</li> <li>of the:</li> </ul> </li> <li>1.  Certified copies of the priority documents hav</li> <li>2.  Certified copies of the priority documents hav</li> <li>3.  Copies of the certified copies of the priority documents hav</li> <li>International Bureau (PCT Rule 17.2(a)).</li> </ul> * Certified copies not received:	e been received. e been received in Application No		tion from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the red	quirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which giv	nitted. Note the attached EXAMINER res reason(s) why the oath or declara	'S AMENDMENT or Nution is deficient.	IOTICE OF
6. X CORRECTED DRAWINGS ( as "replacement sheets") mu	st be submitted.		٠.
(a) including changes required by the Notice of Draftsper		948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment or in the C	Office action of	
Identifying indicia such as the application number (see 37 CFR teach sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the drawir	ngs in the front (not the	back) of
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT</li> </ol>	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGICA	nust be submitted. N AL MATERIAL.	Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5.  Notice of Informal P	atent Application (PTG	)-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)			
Information Disclosure Statements (PTO-1449 or PTO/SB/N Paper No./Mail Date	Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr		
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	ent of Reasons for Allo	owance
of Biological Material	9.		

Application/Control Number: 10/647,340

Art Unit: 3745

**EXAMINER'S AMENDMENT** 

An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Mardson McQuay, Attorney for Applicants, on December 2, 2004.

The application has been amended as follows:

In the Drawings:

The following changes to the drawings have been approved by the examiner and agreed

upon by applicant: In order to avoid abandonment of the application, applicant must make these

agreed upon drawing changes.

In figures 1A and 1B, the projection lines may be shortened so that the projection lines do

not extend from figure 1A into figure 1B.

In figures 4B and 4C, the projection lines at the central axis connecting figures 4B and

4C may be removed.

Page 2

Art Unit: 3745

In figures 7B and 7C, the projection lines at the central axis connecting figures 7B and 7C may be removed.

The above changes to the drawings have been preapproved in order to correct the Replacement Sheets of Drawings filed November 19, 2004.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V. December 2, 2004 Christopher Verdier Primary Examiner Art Unit 3745